


28mm width carbon rims

Nice butterfly weave

Bladed Carbon Spokes (ProX CS1) Only 2.9/pc!



LightCarbon C67DB Disc Hubs-Ceramic Bearings

36T Ratchet Freehub System
For Shimano 11/12s or SRAM XDR 12S

Compatible for 700*28C-45c tire (Tubeless Ready)

21 spoke holes (14:7 ratio)


LightCarbon Ultra Light C67DB Ratchet System Full Carbon Spoke Road Wheels (Butterfly Weave Rim)

Model	C67DB-BRD28-33C-CS1	C67DB-BRD28-38C-CS1	C67DB-BRD28-45C-CS1	C67DB-BRD28-55C-CS1
Rim Drawing				
Rim Depth	33mm	38mm	45mm	55mm
Rim Width	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	LightCarbon C67DB Disc	LightCarbon C67DB Disc	LightCarbon C67DB Disc	LightCarbon C67DB Disc
Front Size	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle
Rear Size	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle
Spoke	LightCarbon CS1	LightCarbon CS1	LightCarbon CS1	LightCarbon CS1
Tire Size (Recommended)	700*28C-45C	700*28C-45C	700*28C-45C	700*28C-45C
Weight (+/-3%)	1239g	1269g	1309g	1359g

26mm and 28mm Width, Undulating Depth

Compatible for 700*25C-45C tire
(Tubeless Ready)

Bladed Carbon Spokes (ProX CS1)
Only 2.9g/pc!



LightCarbon C66DB Disc Hubs-Ceramic Bearings

36T Ratchet Freehub System
Shimano 11/12s or SRAM 12s XDR Optional

Precise Hand-built

21 spoke holes(14:7 ratio)

LightCarbon Ultra Light C66DB Ratchet System Full Carbon Spoke Road Wheels (Undulating Rims)

Model	C66DB-URD26-450-CS1 C66DB-URD26-450SL-CS1	C66DB-URD26-580-CS1 C66DB-URD26-580SL-CS1	C66DB-URD28-305-CS1 C66DB-URD28-305SL-CS1	C66DB-URD28-450-CS1 C66DB-URD28-450SL-CS1	C66DB-URD28-605-CS1 C66DB-URD28-605SL-CS1
Rim Drawing					
Rim Depth	45-50mm	53-58mm	30-35mm	45-50mm	60-65mm
Outer Width	25.5mm	25.5mm	28mm	28mm	28mm
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	LightCarbon C66DB Disc	LightCarbon C66DB Disc	LightCarbon C66DB Disc	LightCarbon C66DB Disc	LightCarbon C66DB Disc
Front Size	12*100mm Thru Axle	12*100mm Thru Axle	12*100mm Thru Axle	12*100mm Thru Axle	12*100mm Thru Axle
Rear Size	12*142mm Thru Axle	12*142mm Thru Axle	12*142mm Thru Axle	12*142mm Thru Axle	12*142mm Thru Axle
Spoke	LightCarbon CS1	LightCarbon CS1	LightCarbon CS1	LightCarbon CS1	LightCarbon CS1
Tire Size (Recommended)	700*25C-40C	700*25C-40C	700*28C-45C	700*28C-45C	700*28C-45C
Weight (+/-3%)	1334g / 1274g	1434g / 1334g	1234g / 1154g	1354g / 1294g	1534g / 1434g

DT Swiss 240 EXP Disc Brake Hubs
(We also have DT180, DT350 hubs)

Ratchet EXP 36T Freehub System
Shimano 11/12s or Sram 12s XDR freehub optional

Sapim CX-Ray spokes, super aero and light



Professional Tubeless Wheelset Lightweight

28mm width carbon rims

Compatible for 700*28C-45C tire (tubeless ready)

Precise Wheels Handbuilt

LightCarbon High-end DT240 EXP Disc Brake Carbon Road Wheels (28mm Width)

Model	240DB-RD28-22C-Ray	240DB-RD28-33C-Ray	240DB-RD28-38C-Ray	240DB-RD28-44C-Ray	240DB-RD28-50C-Ray	240DB-RD28-55C-Ray
Rim Drawing						
Rim Depth	22mm	33mm	38mm	44mm	50mm	55mm
Rim Width	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	DT240 EXP Road Disc	DT240 EXP Road Disc	DT240 EXP Road Disc	DT240 EXP Road Disc	DT240 EXP Road Disc	DT240 EXP Road Disc
Front Size	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle
Rear Size	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle
Spoke	Sapim CX-Ray	Sapim CX-Ray	Sapim CX-Ray	Sapim CX-Ray	Sapim CX-Ray	Sapim CX-Ray
Tire Size (Recommended)	700*28C-45C	700*28C-45C	700*28C-45C	700*28C-45C	700*28C-45C	700*28C-45C
Weight (+/-3%)	1305g	1345g	1365g	1405g	1465g	1505g

Undulating Rim Depth

with Decal and without Decal optional

Pillar 1423 spokes, Aero & strong

Precise Wheels Handbuilt

LightCarbon C52DB Disc Hubs-Ceramic Bearings


36T Ratchet Freehub System
Shimano 11/12s or Sram 12s XDR freehub optional

28mm and 29mm Width Carbon Rims Optional



LightCarbon Mid-range C52DB Ratchet System Hub Carbon Road Wheels (Undulating Rims)

Model	C52DB-URD26-450-1423 C52DB-URD26-450SL-1423	C52DB-URD28-450-1423 C52DB-URD28-450SL-1423	C52DB-URD28-556-1423 C52DB-URD28-556SL-1423
Rim Drawing			
Rim Depth	45-50mm	45-50mm	55-60mm
Outer Width	25.5mm	28mm	28mm
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	LightCarbon C52DB Road Disc	LightCarbon C52DB Road Disc	LightCarbon C52DB Road Disc
Front Size	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle
Rear Size	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle
Spoke	Pillar 1423	Pillar 1423	Pillar 1423
Tire Size (Recommended)	700*25C-40C	700*28C-45C	700*28C-45C
Weight (+/-3%)	1580g / 1520g	1600g / 1540g	1740g / 1700g



LightCarbon Affordable 28DB Carbon Road Wheels (25mm Width)

Model	28DB-RD25-30C-1423	28DB-RD25-38C-1423	28DB-RD25-45C-1423	28DB-RD25-50C-1423	28DB-RD25-60C-1423	28DB-RD25-80C-1423
Rim Drawing						
Rim Depth	30mm	38mm	45mm	50mm	60mm	80mm
Rim Width	25mm Outer (18mm Inner)	25mm Outer (18mm Inner)	25mm Outer (18mm Inner)	25mm Outer (18mm Inner)	25mm Outer (18mm Inner)	25mm Outer (18mm Inner)
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	LightCarbon 28DB Disc	LightCarbon 28DB Disc	LightCarbon 28DB Disc	LightCarbon 28DB Disc	LightCarbon 28DB Disc	LightCarbon 28DB Disc
Front Size	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle
Rear Size	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle
Spoke	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423
Tire Size (Recommended)	700*25C-45C	700*25C-45C	700*25C-45C	700*25C-45C	700*25C-45C	700*25C-45C
Weight (+/-3%)	1447g	1467g	1527g	1587g	1727g	2007g

25mm width carbon rims

3K Grooved Brake Surface

Precise Hand-built

Pillar 1423 Spokes, Aero & Strong

DT Swiss 350 Road Hubs
(We also have DT180, DT240 hubs)

Ratchet 36T Freehub System
Shimano 11/12s or Sram 12s XDR freehub optional

Compatible for 700*25C-45C tire (tubeless ready)



LightCarbon Premium DT350 Rim Brake Carbon Road Wheels (25mm Width)

Model	350S-RV25-38C-1423	350S-RV25-45C-1423	350S-RV25-50C-1423	350S-RV25-60C-1423	350S-RV25-80C-1423
Rim Drawing					
Rim Depth	38mm	45mm	50mm	60mm	80mm
Rim Width	25mm Outer (18mm Inner)	25mm Outer (18mm Inner)	25mm Outer (18mm Inner)	25mm Outer (18mm Inner)	25mm Outer (18mm Inner)
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	DT350S Road	DT350S Road	DT350S Road	DT350S Road	DT350S Road
Front Size	5*100mm QR	5*100mm QR	5*100mm QR	5*100mm QR	5*100mm QR
Rear Size	5*130mm QR	5*130mm QR	5*130mm QR	5*130mm QR	5*130mm QR
Spoke	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423
Tire Size (Recommended)	700*25C-45C	700*25C-45C	700*25C-45C	700*25C-45C	700*25C-45C
Weight (+/-3%)	1602g	1642g	1682g	1802g	2002g

Cheap Price LightCarbon R28 Road Hubs
Shimano 11/12s or SRAM 12s XDR Optional

Precise Hand-built

Pillar 1423 Spokes, Aero & Strong



25mm width carbon rims

Compatible for 700*25C-45c tire (Tubeless Ready)

3K Grooved Brake Surface


LightCarbon Affordable R28 Rim Brake Carbon Road Wheels (25mm Width)

Model	R28-RV25-38C-1423	R28-RV25-45C-1423	R28-RV25-50C-1423	R28-RV25-60C-1423	R28-RV25-80C-1423
Rim Drawing					
Rim Depth	38mm	45mm	50mm	60mm	80mm
Rim Width	25mm Outer (18mm Inner)	25mm Outer (18mm Inner)	25mm Outer (18mm Inner)	25mm Outer (18mm Inner)	25mm Outer (18mm Inner)
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	LightCarbon R28 road	LightCarbon R28 road	LightCarbon R28 road	LightCarbon R28 road	LightCarbon R28 road
Front Size	5*100mm QR	5*100mm QR	5*100mm QR	5*100mm QR	5*100mm QR
Rear Size	5*130mm QR	5*130mm QR	5*130mm QR	5*130mm QR	5*130mm QR
Spoke	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423
Tire Size (Recommended)	700*25C-45C	700*25C-45C	700*25C-45C	700*25C-45C	700*25C-45C
Weight (+/-3%)	1545g	1585g	1625g	1745g	1945g

Bead Hook and Hookless rims optional

Pillar 1423 spokes, Aero&strong

Precise Wheels Handbuilt



DT Swiss 350 Disc Brake Hubs
(We also have DT180, DT240 hubs)

Ratchet Freehub System
Shimano 11/12s or Sram 12s XDR freehub optional

Compatible for 700*30C-50C tire (tubeless ready)


LightCarbon Premium DT350 Disc Brake 700C Gravel Carbon Wheels

Model	350DB-LCX28-1423	350DB-LCX33-1423	350DB-LZX33-1423	350DB-LCX44-1423	350DB-LZX44-1423
Rim Drawing					
Rim Depth	28mm	33mm	33mm	44mm	44mm
Rim Width	29mm	28mm	28mm	28mm	28mm
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	DT350 Road disc	DT350 Road disc	DT350 Road disc	DT350 Road disc	DT350 Road disc
Front Size	12*100mm	12*100mm	12*100mm	12*100mm	12*100mm
Rear Size	12*142mm	12*142mm	12*142mm	12*142mm	12*142mm
Spoke	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423
Tire Size (Recommended)	700*30C-50C	700*30C-50C	700*30C-50C	700*30C-50C	700*30C-50C
Weight (+/-3%)	1459g	1499g	1499g	1559g	1559g

Bead Hook and Hookless rims optional

Pillar 1423 spokes, Aero&strong

Precise Wheels Handbuilt



LightCarbon C52DB Disc Hubs-Ceramic Bearings

36T Ratchet Freehub System
Shimano 11/12s or Sram 12s XDR freehub optional

Compatible for 700*30C-50C tire (tubeless ready)


LightCarbon Mid-range C52DB Ratchet System Hub Disc Brake 700C Gravel Carbon Wheels

Model	C52DB-LCX28-1423	C52DB-LCX33-1423	C52DB-LZX33-1423	C52DB-LCX44-1423	C52DB-LZX44-1423
Rim Drawing					
Rim Depth	28mm	33mm	33mm	44mm	44mm
Rim Width	29mm	28mm	28mm	28mm	28mm
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	LightCarbon C52DB Disc	LightCarbon C52DB Disc	LightCarbon C52DB Disc	LightCarbon C52DB Disc	LightCarbon C52DB Disc
Front Size	12*100mm	12*100mm	12*100mm	12*100mm	12*100mm
Rear Size	12*142mm	12*142mm	12*142mm	12*142mm	12*142mm
Spoke	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423
Tire Size (Recommended)	700*30C-50C	700*30C-50C	700*30C-50C	700*30C-50C	700*30C-50C
Weight (+/-3%)	1440g	1480g	1480g	1540g	1540g

Bead Hook and Hookless rims optional

Pillar 1423 spokes, Aero&strong

Precise Wheels Handbuilt



LightCarbon 28DB Economical Disc Brake Hubs

6-Pawl Freehub System
Shimano 11/12s or SRAM 12s XDR Optional

Compatible for 700*30C-50C tire (tubeless ready)


LightCarbon Affordable 28DB Disc Brake 700C Gravel Carbon Wheels

Model	28DB-LCX28-1423	28DB-LCX33-1423	28DB-LZX33-1423	28DB-LCX44-1423	28DB-LZX44-1423
Rim Drawing					
Rim Depth	28mm	33mm	33mm	44mm	44mm
Rim Width	29mm	28mm	28mm	28mm	28mm
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	LightCarbon 28DB Disc	LightCarbon 28DB Disc	LightCarbon 28DB Disc	LightCarbon 28DB Disc	LightCarbon 28DB Disc
Front Size	12*100mm	12*100mm	12*100mm	12*100mm	12*100mm
Rear Size	12*142mm	12*142mm	12*142mm	12*142mm	12*142mm
Spoke	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423
Tire Size (Recommended)	700*30C-50C	700*30C-50C	700*30C-50C	700*30C-50C	700*30C-50C
Weight (+/-3%)	1447g	1487g	1487g	1547g	1547g

XC/TR/AM/EN rims optional

Pillar 1423 spokes, strong&stiff

Precise Wheels Handbuilt



DT Swiss 350 MTB Boost Hubs
(We also have DT180, DT240 hubs)

Ratchet Freehub System
Shimano 11s, Microspline 12s or SRAM XD optional

Tubeless Ready

LightCarbon Premium DT350 Mountain Bike Boost Carbon Wheels

Model	350MB-AD930-Race	350MB-AD930GP-Race	350MB-AD933-Race	350MB-AD933GP-Race	350MB-AD938-AM-Race	350MB-AD940-Race
Rim Drawing						
Rim Offset	2.6mm	2.6mm	3mm	3mm	3mm	3.5mm
Rim Width	30mm	30mm	33mm	33mm	38mm	40mm
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	DT350 Boost	DT350 Boost	DT350 Boost	DT350 Boost	DT350 Boost	DT350 Boost
Front Size	15*110mm	15*110mm	15*110mm	15*110mm	15*110mm	15*110mm
Rear Size	12*148mm	12*148mm	12*148mm	12*148mm	12*148mm	12*148mm
Spoke	Sapim Race	Sapim Race	Sapim Race	Sapim Race	Sapim Race	Sapim Race
Tire Size (Recommended)	29*2.0"-2.4"	29*2.0"-2.4"	29*2.1"-2.5"	29*2.1"-2.5"	29*2.3"-2.8"	29*2.35"-3.0"
Weight (+/-3%)	1486g	1386g	1526g	1446g	1666g	1746g

LightCarbon 88MB MTB Boost Hub
6-bolt and Center Lock optional

Ratchet Freehub System
Shimano 11s, Microspline 12s or SRAM XD optional

Tubeless Ready



XC/TR/AM/EN rims optional

Pillar 1423 spokes, strong&stiff

Precise Wheels Handbuilt


LightCarbon Affordable 88MB Ratchet System Mountain Bike Boost Carbon Wheels

Model	88MB-AD930-1423	88MB-AD930GP-1423	88MB-AD933-1423	88MB-AD933GP-1423	88MB-AD938-AM-1423	88MB-AD940-1423
Rim Drawing						
Rim Offset	2.6mm	2.6mm	3mm	3mm	3mm	3.5mm
Rim Width	30mm	30mm	33mm	33mm	38mm	40mm
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	LightCarbon 88MB	LightCarbon 88MB	LightCarbon 88MB	LightCarbon 88MB	LightCarbon 88MB	LightCarbon 88MB
Front Size	15*110mm	15*110mm	15*110mm	15*110mm	15*110mm	15*110mm
Rear Size	12*148mm	12*148mm	12*148mm	12*148mm	12*148mm	12*148mm
Spoke	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423
Tire Size (Recommended)	29*2.0"-2.4"	29*2.0"-2.4"	29*2.1"-2.5"	29*2.1"-2.5"	29*2.3"-2.8"	29*2.35"-3.0"
Weight (+/-3%)	1515g	1415g	1555g	1475g	1695g	1775g

LightCarbon 87MB MTB Boost Hub
6-bolt and Center Lock optional

6-Pawl Freehub System
Shimano 11s, Microspline 12s or SRAM XD optional

Tubeless Ready



XC/TR/AM/EN rims optional

Pillar 1423 spokes, strong&stiff

Precise Wheels Handbuilt

LightCarbon Budget 87MB Mountain Bike Boost Carbon Wheels

Model	87MB-AD930-1423	87MB-AD930GP-1423	87MB-AD933-1423	87MB-AD933GP-1423	87MB-AD938-AM-1423	87MB-AD940-1423
Rim Drawing						
Rim Offset	2.6mm	2.6mm	3mm	3mm	3mm	3.5mm
Rim Width	30mm	30mm	33mm	33mm	38mm	40mm
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	LightCarbon 87MB	LightCarbon 87MB	LightCarbon 87MB	LightCarbon 87MB	LightCarbon 87MB	LightCarbon 87MB
Front Size	15*110mm	15*110mm	15*110mm	15*110mm	15*110mm	15*110mm
Rear Size	12*148mm	12*148mm	12*148mm	12*148mm	12*148mm	12*148mm
Spoke	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423
Tire Size (Recommended)	29*2.0"-2.4"	29*2.0"-2.4"	29*2.1"-2.5"	29*2.1"-2.5"	29*2.3"-2.8"	29*2.35"-3.0"
Weight (+/-3%)	1518g	1418g	1558g	1478g	1678g	1778g

LightCarbon E810 e-bike hubs

Steel materials thru axle sleeve and freehub body
Shimano 11s, Microspline 12s or SRAM XD freehub

Precise Wheels Handbuilt



29er and 27.5er size optional

Sapim Race spokes, super strong and durable

Strong wheels for E-bike, 140kg max weight limit

LightCarbon E-bike Specific E810 E-Mountain Bike Boost Carbon Wheels

Model	E810-MC937-EN-Race	E810-AD938-EN-Race	E810-AD940-EN-Race	E810-RD737-EN-Race
Rim Drawing				
Rim Offset	3mm	3mm	3.5mm	0mm
Rim Width	37mm	38mm	40mm	37mm
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	LightCarbon E810	LightCarbon E810	LightCarbon E810	LightCarbon E810
Front Size	15*110mm	15*110mm	15*110mm	15*110mm
Rear Size	12*148mm	12*148mm	12*148mm	12*148mm
Spoke	Sapim Race	Sapim Race	Sapim Race	Sapim Race
Tire Size (Recommended)	29*2.25"-2.6"	29*2.3"-2.8"	29*2.35"-3.0"	650b*2.3"-2.8"
Weight (+/-3%)	2052g	2032g	2032g	2073g